



China Wholesale Cylinder Gas 99.999% CO Gas High Purity Carbon Monoxide

Our Product Introduction

for more products please visit us on gascylindertank.com

Basic Information

- Place of Origin: China
- Brand Name: CMC
- Certification: COA
- Model Number: Co
- Minimum Order Quantity: 1kg
- Price: US \$15/kg
- Packaging Details: Cylinder/Tank
- Delivery Time: 15 days
- Payment Terms: L/C, T/T
- Supply Ability: 5000kg/month



Product Specification

- Product Name: Carbon Monoxide Gas
- Valve: Qf-30A/Cga350
- Boiling Point: -191.5°C
- Melting Point: -205°C
- Cylinder Standard: GB/ISO/DOT
- Cylinder Pressure: 12.5MPa/15MPa/20MPa
- Appearance: Colorless, Odorless
- Transport Package: Sea Transportation
- Specification: 40L, 47L, 50L Etc.
- Trademark: CMC
- Origin: Suzhou, China
- HS Code: 2811290090
- Supply Ability: 10000cyl/Month
- CAS No.: 10102-43-9
- Formula: Co



More Images



Product Description

Carbon Monoxide Co Specialty Gas Cylinder

"Co gas" typically refers to carbon monoxide gas (CO). Carbon monoxide is a colorless, odorless, and highly toxic gas. It is produced by the incomplete combustion of carbon-containing substances. Here are some key points about carbon monoxide gas:

Chemical Composition: Carbon monoxide is composed of one carbon atom bonded to one oxygen atom (CO).

Properties: Carbon monoxide possesses several important properties:

Toxicity: Carbon monoxide is highly toxic to humans and animals. It binds to hemoglobin in the blood, reducing its ability to carry oxygen to vital organs and tissues. Exposure to high levels of carbon monoxide can lead to carbon monoxide poisoning and even death.

Colorless and Odorless: Carbon monoxide is invisible and does not have a noticeable odor, taste, or color, making it difficult to detect without specialized equipment.

Combustible: Although carbon monoxide itself is not flammable, it can support combustion and act as a fuel in the presence of an ignition source.

Sources of Carbon Monoxide: Carbon monoxide is produced by various sources, including:

Incomplete Combustion: The primary source of carbon monoxide is the incomplete combustion of carbon-based fuels, such as gasoline, natural gas, coal, oil, wood, and propane. This can occur in vehicles, residential heating systems, stoves, fireplaces, and other combustion processes.

Industrial Processes: Certain industrial activities, such as metal production, chemical manufacturing, and combustion in power plants, can also release carbon monoxide as a byproduct.

Health and Safety Implications: Carbon monoxide is a significant health and safety concern. Here are some important considerations:

Carbon Monoxide Poisoning: Inhalation of high levels of carbon monoxide can lead to carbon monoxide poisoning. Symptoms include headache, dizziness, nausea, confusion, shortness of breath, and loss of consciousness. Prolonged exposure or high concentrations can be fatal.

Prevention: It is crucial to have proper ventilation and regular maintenance of fuel-burning appliances, such as furnaces, water heaters, and fireplaces. Installing carbon monoxide detectors in living areas can provide early warning of elevated levels of carbon monoxide.

Detection: Carbon monoxide detectors are designed to alert occupants when carbon monoxide levels exceed a certain threshold. It is important to test and maintain these detectors according to manufacturer guidelines.

Safe Use of Fuel-Burning Devices: Fuel-burning devices should be used in well-ventilated areas and should never be used for heating or cooking inside enclosed spaces or vehicles.

Occupational Exposures: Workers in industries where carbon monoxide is produced or released should follow proper safety protocols and wear appropriate personal protective equipment to minimize exposure risks.

In summary, carbon monoxide gas is a highly toxic gas that is produced by the incomplete combustion of carbon-containing substances.

Understanding the sources, risks, and safety measures associated with carbon monoxide is crucial to prevent exposure and ensure the well-being of individuals.

Basic Info.

Molecular Weight	28.0101	Density	1.2504G/L
Melting Point	-205°C	Boiling Point	-191.5°C
Appearance	Colorless,Odorless	Un No.	1016
DOT Class	2.1&2.3	Valve	QF-30A/CGA350
Cylinder Standard	GB/ISO/DOT	Cylinder Pressure	12.5Mpa/15Mpa/20Mpa
Transport Package	40L,47L,50L etc	Specification	99.9%
Trademark	CMC	Origin	China
HS Code	2811290090	Production Capacity	10000cyl/Month

Specification:

CAS No.: 630-08-0

EINECS No.: 211-128-3

UN No.: UN1016

Purity: 99.9%-99.999%

Dot Class: 2.1 & 2.3

Appearance: Colorless

Grade Standard: Industrial Grade

CO - Carbon Monoxide 99.9 %

H2	≤5 ppm
O2	≤50 ppm
N2	≤450 ppm
CO2	≤30 ppm
CH4	≤20 ppm
H2O	≤5 ppm
Total Impurity	≤1000 ppm

Detailed Photos









Packaging & Shipping

Product	Carbon Monoxide	
Package Size	40Ltr Cylinder	50Ltr Cylinder
Filling Content/Cyl	6 m3	10 m3
QTY Loaded in 20' Container	250 Cyls	250 Cyls
Total Volume	1500 m3	2500 m3
Cylinder Tare Weight	50Kgs	55Kgs
Valve	QF-30A /CGA 350	

Company Profile

About us



Shanghai Kemike Chemical Co., Ltd is staffed by trained personnel, combine many years experience in Gas industry .We supply cylinder gas, electronic gas, etc ., and the gas holder, panel, valves and fittings and other equipment, parts and engineering services to our customers in China and worldwide; The products are involved in various industrial fields, such as semiconductor chip, solar cell, LED, TFT-LCD, optical fiber, glass, laser, medicine , etc.. Our mission is to partner with our global customers to provide support, solutions and quality products that are innovative, reliable, and safe. Our products mainly include: H₂, O₂, N₂, Ar, CO₂, propane, acetylene, helium, laser mixed gas, SiH₄, SiH₂Cl₂, SiHCl₃, SiCl₄, NH₃, CF₄, NF₃, SF₆, HCL, N₂O, doping mixed gas (TMB, PH₃, B₂H₆) and other electronic gases.

SiCl ₄	NH ₃	NH ₃	CH ₃ F	SiH ₄	Kr	H ₂ S	WF ₆	F ₆ +Cl ₂
4MS	C ₃ F ₈	C ₃ F ₈	TEOS	CH ₄	PH ₃	SF ₆	C ₂	HCl+Ne
CF ₄	C ₄ F ₈	SiH ₂						TMB+H ₂
SiF ₄	C ₃ H ₈	Cl ₂						He +As
BBr ₃	C ₃ H ₆	DCE						Ge+Se
POCl ₃	N ₂	SO ₂						D+B
BCl ₃	D ₂	CO ₂						CO+NO
SiHCl ₃	CH ₂ F ₂	HF						Ar+O ₂
TMAI	DMZn	DEZn						Xe+NO
AsH ₃	C ₂ H ₄	C ₂ H ₂	HBr	COS	Ar+O ₂	Xe+NO		
GeH ₄	C ₂ H ₆	B ₂ H ₆	H ₂ Se	GeCl ₄				



 **Shanghai Kemike Chemical Co.,Ltd**

 +86 18762990415

 williamchen@cmc-chemical.com

 gascylindertank.com