

# Nitrogen Trifluoride Hot Sale High Purity Industrial Grade Cylinder Gas

## **Basic Information**

. Place of Origin: China . Brand Name: CMC COA · Certification: NF3 Model Number: • Minimum Order Quantity: 1kg

• Price: US \$500/kg · Packaging Details: Cylinder/Tank • Delivery Time: 15 days Payment Terms: L/C, T/T

. Supply Ability: 20000 Tons/Year



## **Product Specification**

• Trademark:

· Formula:

• Product Name: Nitrogen Trifluoride

. Melting Point: -206.79 ºC

Colorless, Odorless • Appearance:

-129.0 ºC

NF3

Boiling Point: • Cylinder Pressure: 15MPa/20MPa Valve: Diss640 Cylinder Standard: DOT/ISO/GB • Transport Package: 47L, 440L Specification: 47L, 440L CMC

China • Origin: . HS Code: 28129011 . Supply Ability: 5000tons/Year CAS No.: 7783-54-2



### **Product Description**

# **Product Description**

NF3 gas refers to nitrogen trifluoride in its gaseous form. Nitrogen trifluoride (NF3) is a colorless, odorless gas at room temperature and is commonly used in various industrial applications. NF3 gas has specific properties and uses, as outlined below:

Properties: NF3 gas is non-flammable and non-toxic. It has a slightly sweet odor at high concentrations, but it is generally odorless. Nitrogen trifluoride has a boiling point of -129 degrees Celsius (-200 degrees Fahrenheit) and exists as a gas at room temperature and pressure.

Uses: NF3 gas finds application in several industries:

Electronics Manufacturing: It is widely used as a cleaning agent in the electronics industry. NF3 gas is effective in removing residues from silicon wafers, chambers, and other electronic components during the manufacturing process.

Plasma Etching: NF3 gas is utilized as a plasma etchant in the semiconductor industry. It selectively removes materials from the surface of silicon wafers and other substrates during the fabrication of integrated circuits and microchips.

Solar Panels: Nitrogen trifluoride is involved in the production of thin-film photovoltaic cells used in solar panels.

Fluorinating Agent: In certain chemical reactions, NF3 gas serves as a fluorinating agent. It can introduce fluorine atoms into organic molecules, enabling the synthesis of specific compounds.

Environmental Impact: It is worth noting that nitrogen trifluoride is a potent greenhouse gas with a high global warming potential. Its long atmospheric lifetime contributes to its potential impact on climate change. As the use of NF3 increases, efforts are being made to monitor and reduce emissions of this gas to mitigate its environmental impact.

When working with NF3 gas, it is crucial to follow appropriate safety measures, including working in well-ventilated areas and using proper protective equipment. Additionally, precautions should be taken to prevent exposure to high concentrations, as NF3 can displace oxygen and lead to asphyxiation in confined spaces.

Considering the potential environmental impact and safety considerations, responsible handling and usage of nitrogen trifluoride gas are essential.

#### **Basic Info**

Transport Package: 47L, 440L Melting Point -206.79°C
Trademark: CMC Boiling Point -129.0°C
Specification 99.99%, 99.996% Production Capacity 5000 M3/Year
Cylinder Pressure 15MPa/20MPa Valve Diss640
Appearance Colorless, Odorless Density 2.96 Kg/M3

#### Specifications:

Specifications	Company Standard
NF3	≥ 99.996%
CF4	≤ 20 ppm
N2	≤ 5 ppm
O2+AR	≤ 3 ppm
CO	≤ 1 ppm
CO2	≤ 0.5 ppm
N2O	≤ 1 ppm
SF6	≤ 2 ppm
Moisture	≤ 1 ppm
Express as HF	≤ 1 ppm

#### **Detailed Photo**



Company Profile



Shanghai Kemike Chemical Co., Ltd is staffed by trained personnel, combine many years experience in Gas industry .We supply cylinder gas, electronic gas, etc., and the gas holder, panel, valves and fittings and other equipment, parts and engineering services to our customers in China and worldwide; The products are involved in various industrial fields, such as semiconductor chip, solar cell, LED, TFT-LCD, optical fiber, glass, laser, medicine, etc., Our mission is to partner with our global customers to provide support, solutions and quality products that are innovative, reliable, and safe.

Our products mainly include: H2, O2, N2, Ar, CO2, propane, acetylene, helium, laser mixed gas, SiH4, Sih2cl2, SiHCL3, SiCL4, NH3, CF4, NF3, SF6, HCL, N2O, doping mixed gas (TMB, PH3, B2H6) and other electronic gases.

CH3F F6+CI2 WF6 SiCI4 NH3 NH3 SiH4 Kr H<sub>2</sub>S

C2 C3F8 C3F8 **TEOS** CH4 PH<sub>3</sub> SF6 HCI+Ne 4MS

SiH2 CF4 C4F8

SiF4 **C3H8** CI2

DCE BBr3 **C3H6** 

POCI3 SO2 N2

BCI3 D2 CO<sub>2</sub>

SiHCI3 CH2F2 HF

**TMAI** DMZn DEZn AsH3

GeH4

C2H4

C2H6

**B2H6** 

C2H2

H2Se

HBr

GeCl4

COS

Xe+NO

TMB+H2

He +As

Ge+Se

D+B

CO+NO

Ar+O2





